

Missing: Jaelynn Allen (MD) - Jaelynn Allen,
Age Now: 17, Missing: 07/28/2026. Missing
From FORT WASHINGTON, MD. ANYONE
HAVING INFORMATION SHOULD
CONTACT: Metropolitan Police Department
(District of Columbia) 1-202-727-9099.
#PleaseShare
<http://www.missingkids.org/poster/NCMC/2098057/1>
[View original notice](#)

THE FREDERICK WATCH

Watching the county. Relaying what matters.

Friday, August 28, 2026

Frederick County, Maryland

COVERING THURSDAY, AUGUST 27, 2026

PUBLIC SAFETY

Page 2

The Day's Run Log

Complete call activity for Thursday, August 27. Excludes medical calls.

ALARMS Commercial Fire Alarm 100 block N. BENTZ ST (FREDERICK) UNITS: PE23, TT4 4:49 am TT4 on scene, nothing evident. Investigating. 5:07 am TT4 located a faulty smoke detector. Units in service.		4:45 am
ALARMS Residential Fire Alarm (Single Family Resd/ Mobile Home) 3600 block DONNA CT UNITS: PE251 11:12 am PE251 on the scene, 2-story single-family residence. Nothing evident. 11:21 am PE251 reports accidental activation. Alarm has been reset. PE251 in service.		11:06 am
TRAFFIC & ROADS Vehicle Accident - Bls WEST OAK DR / BARTHOLOWS RD UNITS: A158, PE251 11:38 am PE251 on the scene, 2 vehicles involved. Checking on occupants. 11:42 am A158 evaluating one patient. 12:02 pm A158 evaluated one patient who refused transport. Fire/Rescue clearing the scene.		11:34 am
PUBLIC SAFETY Gas Odor Outside 5600 block TUSCARORA RD UNITS: E141 12:01 am Frederick ECC received additional information from BGE who state a representative was spraying pesticides in the 900 Block of New Design Rd. E141 continuing to investigate, attempting to track down vehicle that is spraying to narrow down source of odor. 11:56 am E141 on scene, investigating. 11:57 am E141 made contact with the property owner of the dispatched address who states they did not call and received no notification. Frederick ECC advises only call received was via BGE representative.		11:48 am
PUBLIC SAFETY Service Call – Assist Fcso 9100 block OLD KILN RD (EMMITSBURG) UNITS: BR65, EMSUTV30, ACEMSUTV22, ACSVC22, EMSUTV24, ACBRUTV22, CCEMSUTV8, GATOR40, A69, PE102, CAN1, C6, BC902 1:56 pm Units alerted to assist the FCSO with missing person. 2:04 pm BC902 assuming command. 2:08 pm BR65 made contact with FCSO. Unified command will be set up at the dispatched address. Requesting additional UTV and Canteen. 3:18 pm ACEMSUTV22 reports they have located the individual. 3:20 pm ACEMSUTV22 reports patient is conscious, alert; confirms it is missing person crews have been searching for. Requesting additional EMS resources to evaluate possible injury. 3:22 pm BC902 requesting ALS resource. 3:24 pm BC902 placing EMSUTV24 and CCEMSUTV8 in service. 3:31 pm Patient has been loaded on Gator 40. 3:52 pm M69 transporting Pri. 2 patient to the hospital.		1:54 pm
PUBLIC SAFETY Unit Transfer To Other Station 100 block W. MAIN ST — STATION 6 (VIGILANT HOSE CO.) UNITS: A37		2:37 pm
FIRE & RESCUE Vehicle Fire I-70EB / RT17 (MYERSVILLE) UNITS: E82, RE74 2:42 pm E82 on the scene, vehicle on the shocker approx. 1-mile east of Rte. 17. 2:43 pm E82 reports no fire, disabled vehicle. Units in service.		2:38 pm
ALARMS Commercial Fire Alarm 4800 block FAIRFIELD RD — FAIRFIELD AREA SCHOOL DISTRICT UNITS: TW6		2:42 pm
TRAFFIC & ROADS Vehicle Accident - Bls (Automatic Crash Notification) 4900 block CAP STINE RD UNITS: A209, R20, E201, C20-B 4:10 pm R20 on the scene, appears that all occupants are out. 4:11 pm A209 evaluating one patient. 4:19 pm A209 transporting one patient to FHH. Remaining units clearing the scene, in service.		4:01 pm
TRAFFIC & ROADS Vehicle Accident - Entrapment 5700 block FOXVILLE RD (THURMONT) UNITS: A307, ALS30, R10, SU51, E212, BC903, EMS902 5:07 pm R10 on the scene, utility vehicle vs. passenger vehicle in the area of the access to the Falls. 5:08 pm R10 reports no entrapment. 5:09 pm A307 evaluating one patient. R10 holding A307, ALS30, SU51, R10. 5:22 pm M307 transporting Pri. 2 patient to Meritus Medical Center.		4:59 pm
ALARMS Commercial Fire Alarm 4900 block WESTVIEW DR — HOMEWOOD SUITES UNITS: PE311, TT4 5:45 pm PE311 on the scene, 4-story hotel; nothing evident. Building is evacuated.		5:40 pm
TRAFFIC & ROADS Vehicle Accident - Rollover 7000 block HAMES CT (BALLENGER CREEK) UNITS: A319, ALS31, R3, E31, BC902, EMS901 5:52 pm EMS901 on the scene, single vehicle overturned. Appears that occupants are out. 5:53 pm EMS901 holding A319, E31, EMS901. Other units in service.		5:49 pm
WEATHER & UTILITIES Wires Down Or Arcing 1300 block ARNOLDTOWN RD UNITS: BR75 7:01 pm BR75 on scene, reports wire down. Utility company notified.		6:40 pm
ALARMS Residential Fire Alarm (Single Family Resd/ Mobile Home) 3000 block HERB GARDEN DR (URBANA) UNITS: E231		6:46 pm
FIRE & RESCUE House Fire 200 block SEVENTH AVE — BRUNSWICK RADIO TOWER UNITS: PE52, E201, E281, LCE612-B, E121, JCRE1, R20, T5, R14, R19, A197, ALS20, CAR19, C20-B, BC903, BC901, SAF901 6:50 am PE52 on the scene, 2-story residential, nothing evident. PE52 establishing command. 6:46 pm Frederick ECC advises responding units of a house struck by lightning. 6:55 pm C20-B on the scene, assuming command. PE52 reports a slight haze and odor, continuing to investigate source. 7:01 pm PE52 secured power. 7:04 pm PE52 located a partially melted surge protector, believe to be the source. Continuing to investigate. 7:18 pm C20-B reports residence has been ventilated. Units in service when ready.		6:46 pm
WEATHER & UTILITIES Wires Down Or Arcing 3500 block CHICK LN (ROSEMONT) UNITS: E121 7:31 pm E121 reports a tree leaning against wires. No hazards to motorists.		6:48 pm
WEATHER & UTILITIES Wires Down Or Arcing POINT OF ROCKS RD / OLIVE SCHOOL RD UNITS: BR285, LCBR612		6:50 pm
PUBLIC SAFETY Outside Investigation Of Smoke 6600 block Y RD (KEYMAR) UNITS: E91 7:06 pm E91 placed in service by Carroll ECC.		6:59 pm
FIRE & RESCUE Brush Fire 2100 block BALLENGER CREEK PIKE, BETWEEN THAT AND RAILROAD TRACKS (POINT OF ROCKS) UNITS: BR145, C14 7:13 pm BR145 in the area, investigating. 7:16 pm BR145 checked the area, nothing found.		7:02 pm
PUBLIC SAFETY Outside Investigation Of Smoke DOUBS RD / PLEASANT VIEW RD (DOUBS) UNITS: C14 7:13 pm C14 in the area, investigating. 7:17 pm C14 checked the area, nothing found.		7:09 pm
ALARMS Commercial Fire Alarm 200 block CHAPEL CT — GLADETOWN CONDOS UNITS: E111, TW1 7:23 pm E111 on the scene of a three-story multifamily dwelling. Normal conditions. Investigating. 7:27 pm E111 reports power surge. Normal conditions on the interior. Units in service.		7:16 pm
PUBLIC SAFETY Odor Of Smoke Inside 8700 block ROSEHAVEN LN UNITS: E331, E31, R3, BC901 7:23 pm E331 on the scene, two story residential. Significant damage to the chimney. E331 investigating second floor, and attic space. 7:33 pm E31 reports basement is clear, water leaking from an interior line. E331 reports multiple breakers tripped in a panel on the third floor.		7:19 pm
WEATHER & UTILITIES Wires Down Or Arcing FLINT HILL RD / MONOCACY BOTTOM RD UNITS: E231 7:34 pm E231 in the 3100 Block of Flint Hill Rd; reports service line to the residence broken from the transformer. Line is not in the roadway. Crew clearing multiple tree limbs from the roadway.		7:21 pm
PUBLIC SAFETY Odor Of Smoke Inside 13700 block GRAHAM CT (MT. AIRY) UNITS: E152, R15, CCK1, CCE12, C15-B, CCC1 7:49 pm CCE12 on the scene, 2-1/2 story residence. Nothing evident. 7:50 pm C15-B on the scene, establishing command. 7:51 pm E152 reports no smoke nor fire present. Investigating odor of smoke in basement. 7:53 pm E152 located a burned electrical outlet in the basement. Power has been secured. Units in service.		7:42 pm
ALARMS Commercial Fire Alarm 300 block MONTEVUE LN — HIGHWAY FLEET SERVICES UNITS: E11, TW1 7:50 pm TW1 on the scene, 2-story commercial building. Nothing evident. 7:54 pm TW1 reports no active alarm. System has been reset. Units in service.		7:48 pm
PUBLIC SAFETY Service Call 500 block E. MOUNTAIN RD (KNOXVILLE) UNITS: PE52 8:19 pm PE52 checked the area, nothing found.		7:59 pm
PUBLIC SAFETY Elevator Malfunction 500 block COFFMAN CHAPEL DR — NEW RESIDENCE HALL (HOOD COLLEGE) UNITS: R2 8:23 pm R2 reports occupants safely removed from elevator. R2 in service.		7:59 pm
WEATHER & UTILITIES Wires Down Or Arcing 5800 BLOCKB BROWNSVILLE PASS RD, RIGHT BELOW HOUSE (BURKITTSVILLE) UNITS: PE52 8:56 pm PE52 on scene, confirming tree down along with wires down at the dispatched address. Utility company notified.		8:11 pm
WEATHER & UTILITIES Wires Down Or Arcing 3600 block PETERSVILLE RD (BRUNSWICK) UNITS: PE52		8:42 pm
WEATHER & UTILITIES Wires Down Or Arcing 1300 block ROSEMONT DR (BRUNSWICK) UNITS: PE52		8:42 pm
ALARMS Commercial Fire Alarm 700 block ACROPOLIS WAY — PROSPECT HALL APARTMENTS UNITS: PE311, TW1		9:10 pm
WEATHER & UTILITIES Wires Down Or Arcing 2600 block BALLENGER CREEK PIKE UNITS: E141 10:32 pm E141 reports tree against the power lines at the intersection of BALLENGER Creek Pike / E. Basford Rd; no active fire/arcing. Utility company notified.		9:40 pm
ALARMS Commercial Fire Alarm 100 block DEPAUL ST — SAINT JOSEPHS ROMAN CATHOLIC CHURCH (EMMITSBURG) UNITS: E61, TW6 10:44 pm E61 on the scene, normal conditions. Investigating. 10:46 pm E61 reports accidental alarm activation. E61 in service.		9:45 pm
WEATHER & UTILITIES Wires Down Or Arcing 100 block DEPAUL ST — SAINT JOSEPHS ROMAN CATHOLIC CHURCH (EMMITSBURG) UNITS: E61, TW6 10:44 pm E61 on the scene, normal conditions. Investigating. 10:46 pm E61 reports accidental alarm activation. E61 in service.		10:17 pm
ALARMS Commercial Fire Alarm 100 block DEPAUL ST — SAINT JOSEPHS ROMAN CATHOLIC CHURCH (EMMITSBURG) UNITS: E61, TW6 10:44 pm E61 on the scene, normal conditions. Investigating. 10:46 pm E61 reports accidental alarm activation. E61 in service.		10:39 pm


FREDERICK, MARYLAND

7-Day Weather

National Weather Service

THU Aug 27  85° / 65° PM Thunderstorms ISSUE DAY	FRI Aug 28  86° / 65° Patchy Fog then Slight Chance Showers And Thunderstorms 15% precip	SAT Aug 29  86° / 68° Sunny 10% precip	SUN Aug 30  89° / 71° Sunny 7% precip	MON Aug 31  92° / 73° Mostly Sunny 8% precip	TUE Sep 1  93° / 73° Mostly Sunny then Slight Chance Showers And Thunderstorms 16% precip	WED Sep 2  92° / 72° Chance Showers And Thunderstorms 39% precip
--	--	--	--	--	---	--

ADVERTISEMENT



FREDERICK SCANNER

Listen. Watch. Know.

Live scanner audio, verified incidents, traffic, weather and community alerts for Frederick County.

www.FrederickScanner.com