A FREDERICK SCANNER PUBLICATION

THE FREDERICK WATCH

Watching the county. Relaying what matters.

Friday, November 27, 2026 | Frederick County, Maryland | Daily Edition | Vol. 1, No. 106

COVERAGE PERIOD **THURSDAY, NOVEMBER 26, 2026** *News and incidents from the previous day*

Two-vehicle crash draws ten units to I-70 in Frederick

Fire responses, rescues and roadway incidents from verified Frederick Scanner reports

By The Frederick Watch Desk

A two-vehicle crash on I-70 eastbound near Route 144 in Frederick drew ten units at 3:29 p.m. At 3:35 p.m., Engine 331 arrived to find Two vehicles were involved. Engine 331 began checking on the occupants. At 3:36 p.m., Engine 331 reported no entrapment. Ambulance 38 and Engine 331 remained on the call. Other responding units returned to service. At 3:40 p.m., Engine 331 reported no occupants require EMS services. Remaining units in service.

Vehicle accident - rollover at Dickerson Road in Tuscarora

A reported crash on 6200 block Dickerson Road in Tuscarora brought a response from eight units at 9:26 a.m. At 9:34 a.m., Rescue Squad 14 reported single occupant, possible ejection. Wire that is down is a guy wire. Utility pole has been sheared off. Ambulance 149, Montgomery County Medic (ALS Transport) 714, EMS Supervisor 902, Rescue Squad 14 and Montgomery County Paramedic Rescue Engine 714 remained on the call. Other units in service. At 9:41 a.m., Rescue Squad 14 reported no power lines involved, the guy wire has been moved out of the roadway.

Wires down or arcing at Gambrill Park Road

Crews responded to a reported wires down or arcing at 8200 block Gambrill Park Road at 10:29 a.m. At 10:46 a.m., Engine 121 confirmed live wire is down in the middle of the woods, with fire spreading. Engine 121 requested power company to expedite so that power can be shut down in order to extinguish fire. At 11:36 a.m., Ambulance 129 reported additional tree has fallen, more power lines are down. Engine 121 reports multiple poles down, lines are still hot. Insulation is burning off of the wires. At 11:45 a.m., Frederick ECC advises that the power company has a 30-minute ETA on scene. At 11:55 a.m., Engine 121 reported power company is on scene.

Small structural collapse at Pheasant Run in Green Valley

Crews responded to a reported small structural collapse at 3100 block Pheasant Run in Green Valley at 12:49 p.m. At 12:54 p.m., MCC717 reported 2 occupants accounted for. At 1:01 p.m., Battalion Chief 901 arrived and assumed command. At 1:03 p.m., Montgomery County Paramedic Engine 713 reported no structural damage to load-bearing walls. Damage to roof. No fire department services needed. Units clearing the scene.

Small structural collapse at Old Sabillasville Road in Sabillasville

Crews responded to a reported small structural collapse at 17600 block Old Sabillasville Road in Sabillasville



VEHICLE ACCIDENT - ROLLOVER, 6200 block DICKERSON RD (TUSCARORA). Photo credit: Gregory Augustinos.

at 1:51 p.m. At 1:55 p.m., dispatchers advised responding crews that caller states there is no entrapment. At 1:56 p.m., with the report of no entrapment, Battalion Chief 902 placing HazMat and Technical Rescue resources in service.

Vehicle accident at Route 340 in Knoxville

A reported crash on RT340EB near S. Mountain Road in Knoxville brought a response from five units at 2:09 p.m. At 2:39 p.m., Medic 198 was transporting a patient with serious injuries to Meritus Medical Center.

Two-vehicle crash draws six units to I-70 in Near Us 40, Exit 48

A two-vehicle crash on I-70 westbound near 48MM in Near Us 40, Exit 48 drew six units at 3:03 p.m. At 3:10 p.m., Ambulance 129 arrived to find Two vehicles were involved. Checking on the scene. At 3:12 p.m., Ambulance 129 reported 2 patient refusals. Ambulance 129 and Engine 121 remained on the call. Other units in service.

Gas odor outside at W. Seventh St — Fhh

A reported gas odor brought four units to 400 block W. Seventh Street — Fhh at 5:18 p.m. At 5:26 p.m., Paramedic Engine 23 investigated a report of gas odor in staircase. At 5:35 p.m., Paramedic Engine 23 reported negative meter readings.

Daily activity

Frederick County logged 148 calls: 72 non-medical and 76 medical. The busiest hour was 12:00 pm, with 17 calls.

YESTERDAY AT A GLANCE

THE PREVIOUS DAY IN NUMBERS

CALLS LOGGED	MEDICAL CALLS
148	76
72 non-medical · 76 medical	Included in total calls
BUSIEST HOUR	**WEATHER**
12:00 pm	49° / 46°
17 calls logged	Rain/Wind

ACTIVITY SCORE **74**/100 — VERY BUSY

▲ INCIDENT BREAKDOWN

Fire & building alarms	18
Fire & rescue	8
Hazards & investigations	21
Rescue & special response	13
Service & station support	1
Traffic & accidents	11

MEDICAL CALLS · 76

Advanced Life Support	41
Basic Life Support	21
Other support level	14

MIXED CALLS · 8
Already included in incident categories

Advanced Life Support	1
Basic Life Support	7

LARGEST RESPONSE
Small Structural Collapse
18 units · 3100 Block Pheasant Run (Green Valley)

WHERE CALLS HAPPENED

1.	Frederick	9
2.	Brunswick	3
3.	Middletown	3

ABOUT THIS EDITION
Includes aggregate medical call counts. Individual medical calls and follower comments are excluded from stories.

Yesterday on the Roads

TRAFFIC OBSERVATIONS	PEAK TRAFFIC HOUR
48	3 p.m.
observed during the day	9 reports

TOP CORRIDOR
I-70
18 reports

Crashes	14
Debris/Hazards	12
Closures	9
Disabled Vehicles	1
Congestion	1

Sources: HERE and MDOT CHART.

ADVERTISEMENT



Weather

Three-day forecast in Frederick

FRIDAY NOV 27 — High 54° • Low 41°
A chance of rain before 2pm. Mostly cloudy, with a high near 54. Southwest wind around 17 mph, with gusts as high as 30 mph. Chance of precipitation is 50%. New rainfall amounts less than a tenth of an inch possible.
Rain chance 50%

SATURDAY NOV 28 — High 56° • Low 35°
Mostly sunny, with a high near 56. West wind 5 to 13 mph, with gusts as high as 20 mph.

SUNDAY NOV 29 — High 58° • Low 46°
Mostly sunny, with a high near 58.

National Weather Service

Road Watch

Road closures active today

EDITION-TO-EDITION BASELINE ESTABLISHED

ONGOING — FREDERICK CITY
ICE ST
Closed, all directions. All lanes closed. Construction. MT Laney asphalt repairs road closed to traffic with detour

ONGOING — FREDERICK COUNTY
OLD MILL RD
Closed, all directions. All lanes closed. Construction. Closed for repairs. Major structural component damaged. CLOSED TO ALL TRAFFIC.

ONGOING — FREDERICK CITY
CHAMBERLAIN DR
Limited Public Access, all directions. 1 lane open. Construction. O'leary Asphalt road work lane and sidewalk closures

Frederick County road closure data

Today in Frederick

1 thing to know for Friday, Nov. 27

FCPS — ALL DAY
Schools and offices closed
FCPS schools and offices are closed today.

ADVERTISEMENT

Advertise in *The Frederick Watch.*

Reach engaged Frederick County readers in every daily edition of *The Frederick Watch*.

LOCAL · TRUSTED · DAILY

SPONSORSHIPS AVAILABLE
CONTACT FREDERICK SCANNER FOR SPONSORSHIP INFORMATION

FREDERICK WATCH

Thanksgiving winds knock out power to thousands across Frederick County

2026-11-26 **Source: Frederick Watch**

Thanksgiving brought gusty winds and widespread power outages to Frederick County, with the Frederick Scanner Storm Center recording a peak of 5,350 customers without power at 9:45 a.m.

Maryland outage data showed a second surge to 4,075 customers at 1:30 p.m., including 2,917 in the Middletown area.

The highest measured gust among four monitored stations was 53 mph at Frederick Municipal Airport at 1:47 p.m., according to National Weather Service observations.

Frederick Scanner tracked 15 downed or arcing wire dispatches and three transformer fire dispatches through 9:35 p.m. These were dispatch reports, not confirmed damage.

A separate traffic alert reported a tree blocking the right lane of westbound Interstate 70 near the rest area west of Myersville at 12:25 p.m.

By 9:30 p.m., Maryland outage data showed 1,408 county customers without power, including 241 in the Middletown area. The wind advisory expired at 7 p.m. Frederick Scanner maintained dedicated storm coverage throughout the holiday.

Source: Frederick Scanner Storm Center, Maryland outage data and National Weather Service observations.

FREDERICK COUNTY GOVERNMENT NEWSFLASH

Public Invited to Grand Opening of Utica Connection Trail on December 1

2026-11-25 **Source: Frederick County Government**

FREDERICK, Md. – Members of the public are invited to attend a ribbon cutting ceremony for the Utica Connection Trail on Tuesday, December 1 at 11 a.m.

The ceremony will take place at Utica District Park, 10200-B Old Frederick Road, Frederick, MD 21701. Attendees are encouraged to bring bicycles to join an inaugural trail ride following the ceremony.

The event will feature remarks from County Executive Jessica Fitzwater, Parks and Recreation Division Director Jeremy Kortright, County Council Member Jerry Donald, and members of Frederick County's biking community.

Read the original release

The new Utica Connection Trail will create a paved connection between Utica District Park and Utica Road, providing a safer route for cyclists and pedestrians while opening an additional access point to one of Frederick County's most popular parks.

The northern end of the trail will connect directly to the historic Utica Covered Bridge— linking recreation, transportation, history, and open space to improve visitors' experience.

Utica District Park is one of Frederick County's most heavily used parks, welcoming hundreds of thousands of visitors each year. The park already includes more than six miles of paved and natural-surface trails.

The project reflects recommendations from the County's Bikeways and Trails Plan and supports the vision outlined in the Livable Frederick Master Plan, which calls for stronger connections between parks, neighborhoods, trails, and community destinations.

These connections promote active transportation, improve public health, expand recreation opportunities, and enhance residents' overall quality of life.

COMMUNITY · TECHFREDERICK

The techfrederick Leadership Conversation

Event series overview · No upcoming date listed **Source: techFrederick**

The techfrederick Leadership Conversation is our signature annual event, presented by Edgewater Federal Solutions, bringing nationally recognized technology leaders to Frederick for an intimate and engaging discussion of leadership, innovation, and the future of technology.

Each year, this special evening features a prominent voice from the worlds of technology, government, cybersecurity, research, or innovation, sharing personal insights and experiences from leading at the highest levels of complex organizations.

Presented in a conversational fireside format, the event offers a rare opportunity to hear directly from leaders who are shaping the systems, policies, and technologies that impact our world.

More than just a lecture, the Leadership Conversation is designed to spark meaningful dialogue, encourage collaboration, and connect Frederick's growing technology community with leaders operating on the national and global stage.

Attendees include technology professionals, entrepreneurs, business leaders, educators, students, and community members who are interested in the evolving role of technology in our economy and society.

techfrederick

techFrederick logo

Check upcoming dates and event details at techfrederick.org/events.

View the event details

The Day's Run Log

Complete call activity for Thursday, November 26. Excludes medical calls.

ALARMS 12:39 am
Commercial Fire Alarm
FIRST block OF E. FREDERICK ST — AMERICAN RED CROSS (WALKERSVILLE)
UNITS: E111, Q11

TRAFFIC & ROADS 4:32 am
Vehicle Accident - Rollover
I-270SB / 29MM
UNITS: A38, A238, PE311, R2, E231, BC901, EMS901, TT23

TRAFFIC & ROADS 5:09 am
Vehicle Accident - Rollover
I-70WB / 46MM (MYERSVILLE)
UNITS: A89, A19, A18, ALS8, R8, E11, E73, BC903, EMS902

ALARMS 5:58 am
Commercial Fire Alarm
900 block TOLL HOUSE AVE — QUEST DIAGNOSTICS (FREDERICK)
UNITS: PE23, TT4

ALARMS 6:19 am
Residential Fire Alarm (Single Family Resd/ Mobile Home)
8800 block LONGS MILL RD (CREAGERSTOWN)
UNITS: E132, E162

PUBLIC SAFETY 6:51 am
Wires Down Or Arcing
13600 block WOLFSVILLE RD
UNITS: BR216

PUBLIC SAFETY 7:01 am
Wires Down Or Arcing
6800 block RED BIRD LN (CATOCTIN FURNACE)
UNITS: BR106
7:10 am BR106 in the area, investigating.
7:14 am BR106 reports a utility pole snapped halfway up; transformer is live and laying on the ground. Wires are down in the intersection. Requesting power company to expedite.

PUBLIC SAFETY 7:12 am
Wires Down Or Arcing
MARKER RD / OLD NATIONAL PIKE
UNITS: E73
7:27 am E73 checked the area, nothing found.

ALARMS 7:20 am
Commercial Fire Alarm
900 block TOLL HOUSE AVE — FREDERICK SURGIAL BLDG QUEST DIAGNOSTICS
UNITS: PE23, TT4

ALARMS 7:50 am
Commercial Fire Alarm
900 block TOLL HOUSE AVE — QUEST DIAGNOSTICS (FREDERICK)
UNITS: PE23

PUBLIC SAFETY 8:06 am
Wires Down Or Arcing
8600 block HOLLOW RD (MYERSVILLE)
UNITS: E82
8:15 am E82 on scene, confirming a tree down across the roadway.
8:32 am E82 reports tree has been cleared from the roadway. E82 in service.

ALARMS 8:22 am
Commercial Fire Alarm
900 block TOLL HOUSE AVE, QUEST DIAGNOSTICS
UNITS: PE23

PUBLIC SAFETY 8:34 am
Wires Down Or Arcing
STOTTLEMYER RD / FOXVILLE RD
UNITS: BR106
8:52 am BR106 and Potomac Edison checked the area, nothing found.

FIRE & RESCUE 9:16 am
Transformer Fire
2700 block THURSTON RD, ACROSS FROM LOCATION
UNITS: BR235
9:27 am BR235 confirms a blown transformer. Utility company notified.

ALARMS 9:17 am
Commercial Fire Alarm
2600 block S. EVERLY DR (TUSCARORA KNOLLS)
UNITS: E291, Q11
9:20 am E291 on scene, 3-story end of the row townhome. Nothing evident. Investigating.

TRAFFIC & ROADS 9:26 am
Vehicle Accident - Rollover
6200 block DICKERSON RD (TUSCARORA)
UNITS: A149, MCM714, MCPRE714, R14, E281, U14, BC902, EMS902
9:32 am R14 on the scene, single vehicle on its wheels. Appears occupant(s) are out. Wires down in the area
9:34 am R14 reports single occupant, possible ejection. Wire that is down is a guy wire. Utility pole has been sheared off. Holding A149, MCM714, EMS902, R14, MCPRE714. Other units in service.
9:41 am R14 reports no power lines involved, the guy wire has been moved out of the roadway.

ALARMS 9:37 am
Commercial Fire Alarm
100 block E. SECOND ST — SAINT JOHNS CATHOLIC CHURCH (FREDERICK)
UNITS: E33, TT4
9:48 am E33, TT4 investigating active alarms, possibly due to power loss.

PUBLIC SAFETY 10:29 am
Wires Down Or Arcing
8200 block GAMBRILL PARK RD
UNITS: BR125, A129
10:44 am E121 on the scene, tree leaning against power lines with a small brush fire beneath. Utility company notified.
10:46 am E121 confirms live wire is down in the middle of the woods, with fire spreading. Requesting power company to expedite so that power can be shut down in order to extinguish fire.
11:36 am A129 reports additional tree has fallen, more power lines are down. E121 reports multiple poles down, lines are still hot. Insulation is burning off of the wires.
11:45 am Frederick ECC advises that the power company has a 30-minute ETA on scene.
11:55 am E121 reports power company is on scene.

PUBLIC SAFETY 10:39 am
Wires Down Or Arcing
TENTH AVE / LOCOMOTIVE ALY (BRUNSWICK)
UNITS: BR55
10:50 am PE52 on scene, confirms multiple poles down across the roadway at 10th Ave and Potomac Ave.

PUBLIC SAFETY 10:43 am
Outside Investigation Of Smoke
6900 block LORDS CT — KINGSCREST APTS
UNITS: PE311
10:46 am PE311 in the area, investigating.

PUBLIC SAFETY 11:23 am
Wires Down Or Arcing
100 block LINDEN BLVD (MIDDLETOWN)
UNITS: E73
11:27 am E73 on scene, reports cable line down.

PUBLIC SAFETY 11:23 am
Wires Down Or Arcing *(continued)*
100 block LINDEN BLVD (MIDDLETOWN)
UNITS: E73
11:34 am E73 moved cable line out of the roadway. No further hazards.

ALARMS 11:30 am
Residential Fire Alarm (Single Family Resd/ Mobile Home)
1100 block MARTHAS CT E (BRUNSWICK)
UNITS: PE52

PUBLIC SAFETY 11:34 am
Wires Down Or Arcing
3000 block LOCKWOOD DR
UNITS: E82
11:40 am E82 on the scene, investigating.
11:42 am E82 reports a tree onto power lines over top of a vehicle next to the residence. Utility company notified.

PUBLIC SAFETY 11:36 am
Wires Down Or Arcing
7600 block PICNIC WOODS RD (MIDDLETOWN)
UNITS: E73
11:41 am E73 on the scene, confirming trees and power lines down in the roadway. Utility company notified.
11:52 am E73 reports Fire-Police on location, on either side of the incident. Currently no hazards, downed lines not arcing.

ALARMS 12:13 pm
Commercial Fire Alarm
200 block S. JEFFERSON ST (FREDERICK)
UNITS: E33, TT4
12:19 am Frederick ECC advises responding units that the proper alarm passcode was received. Units in service.

TRAFFIC & ROADS 12:20 pm
Vehicle Accident - BLS
I-70WB / 37MM
UNITS: A89, E82
12:26 pm A89 on the scene, single vehicle involved, off onto the right shocker into the ditch. Checking on occupants.
12:28 pm A80 evaluating one patient.

ALARMS 12:40 pm
Residential Fire Alarm
200 block E. FIFTH ST (FREDERICK)
UNITS: PE23, TT4
12:43 pm PE23 on the scene, normal exterior conditions. Investigating.
12:48 pm PE23 investigating small leak in the attic that is activating the detectors. Holding PE23, TT4 in service.

PUBLIC SAFETY 12:44 pm
Wires Down Or Arcing
800 block KNOXVILLE RD (BRUNSWICK)
UNITS: PE52
12:54 pm PE52 reports a tree is down. Requesting assistance from Public Works Department.

PUBLIC SAFETY 12:45 pm
Electrical Hazard - Investigation
200 block IVY HILL DR (MIDDLETOWN)
UNITS: E73
12:50 pm E73 reports a street lamp down along side of the roadway. No hazards to motorists.

FIRE & RESCUE 12:46 pm
Transformer Fire
OLD ANNAPOLIS RD / CHESTNUT GROVE RD
UNITS: E172
12:55 pm E172 in the area, investigating.

PUBLIC SAFETY 12:49 pm
Small Structural Collapse
3100 block PHEASANT RUN (GREEN VALLEY)
UNITS: E153, E152, E231, CCR1, MCPE713, HM33, HMSU33, TT23, TR29, A238, MCM713, C15, C23-B, VOLAC900, CCC1, BC901, SAF901, EMS902
12:53 pm MCC717 on the scene, tree into a 2-story split-level residence. MCC717 establishing command.
12:54 pm MCC717 reports 2 occupants accounted for.
1:01 pm BC901 on scene, assuming command. BC901 appointing MCPE713, TT23 crews to investigate structural damage. BC901 cleaning HM33, HMSU33 from the call. BC901 reducing TR29 to non-emergency.
1:03 pm MCPE713 reports no structural damage to load-bearing walls. Damage to roof. No fire department services needed. Units clearing the scene.

FIRE & RESCUE 1:03 pm
Woods Fire
GARFIELD RD / BRANDENBURG HOLLOW RD (WOLFSVILLE)
UNITS: E212, K21, BR216, CAR-21, C21
1:16 pm C21 on the scene, reports wires arcing in the woods. No active fire. Holding BR216. Other units in service.
1:18 pm C21 confirms wires still active. Utility company notified.

ALARMS 1:06 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
3500 block WORTHINGTON BLVD (URBANA)
UNITS: PE311
1:17 pm PE311 on the scene, 3-story residential. Nothing evident.
1:21 pm PE311 investigated. No hazards present.

PUBLIC SAFETY 1:14 pm
Wires Down Or Arcing
10400 block CHURCH HILL RD (MYERSVILLE)
UNITS: E82
1:19 pm E82 in the area, investigating.

PUBLIC SAFETY 1:41 pm
Wires Down Or Arcing
WIGVILLE RD / CATOCTIN HOLLOW RD (THURMONT)
UNITS: BR106
2:01 pm BR106 located a low-hanging wire on Wigville Rd. No hazards to motorists.

PUBLIC SAFETY 1:51 pm
Small Structural Collapse
17600 block OLD SABILLASVILLE RD (SABILLASVILLE)
UNITS: FRE42, ACE3, FRER19, FRLDR2, R10, HM33, TR29, FRA49, FRALS2321, BC902, SAF901, EMS902
1:55 pm Frederick ECC advises responding units that caller states there is no entrapment.
1:56 pm with the report of no entrapment, BC902 placing HazMat and Technical Rescue resources in service.

TRAFFIC & ROADS 2:09 pm
Vehicle Accident - BLS
RT340EB / S. MOUNTAIN RD (KNOXVILLE)
UNITS: A198, A209, R20, E201, PE52
2:39 pm M198 transporting a patient with serious injuries to Meritus Medical Center.

TRAFFIC & ROADS 2:24 pm
Vehicle Accident - BLS
I-70WB / RIDGE RD (BRADDOCK)
UNITS: A129, A89, R8, E121, RE74
2:32 pm E121 on scene, vehicle facing the wrong direction on the left side of the roadway.
2:34 pm E121 holding A129, E121. Other responding units in service.

ALARMS 2:33 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
9200 block BLUE SAGE CT
UNITS: E231

TRAFFIC & ROADS 2:38 pm
Vehicle Accident - BLS
8100 block YELLOW SPRINGS RD, IAO
UNITS: A19, E11

FIRE & RESCUE 2:56 pm
Appliance Fire Contained
7100 block MCHENRY MEWS
UNITS: PE23, E501, TT23

TRAFFIC & ROADS 3:03 pm
Pedestrian Struck - ALS
I-70WB / 48MM (near US 40, Exit 48)
UNITS: A129, A89, ALS31, E121, E82, EMS901
3:10 pm A129 on the scene, 2 vehicles involved. Checking on the scene.
3:12 pm A129 reports 2 patient refusals. Holding A129, E121. Other units in service.

TRAFFIC & ROADS 3:08 pm
Vehicle Accident - BLS
RT340 / ROHRERSVILLE RD
UNITS: R19, E52

TRAFFIC & ROADS 3:29 pm
Vehicle Accident - Entrapment
I-70EB / RT144 (FREDERICK)
UNITS: A38, A339, ALS31, R2, E33, E331, E153, C3, BC903, EMS901
3:35 pm E331 on the scene, 2 vehicles involved. Checking on occupants.
3:36 pm E331 reports no entrapment. Holding A38, E331. Other responding units in service.
3:40 pm E331 reported no occupants require EMS services. Remaining units in service.

ALARMS 3:33 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
6500 block CARRIE LYNN CT (MT. AIRY)
UNITS: E172
3:35 pm Frederick ECC canceled call.

PUBLIC SAFETY 3:58 pm
Wires Down Or Arcing
8300 block PALMER RD
UNITS: BR85

PUBLIC SAFETY 5:18 pm
Gas Odor Outside
400 block W. SEVENTH ST — FHH
UNITS: PE23, E33, R2, BC902
5:26 pm PE23 investigating report of gas odor in staircase.
5:27 pm BC902 on scene, establishing command.
5:35 pm PE23 reports negative meter readings.

FIRE & RESCUE 5:29 pm
Transformer Fire
6900 block MARYLAND AVE (BRADDOCK HEIGHTS)
UNITS: E121
5:29 pm E121 on the scene, confirming arching transformer. Utility company notified.

ALARMS 6:12 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
4900 block MACDONOUGH PL
UNITS: PE311

ALARMS 7:06 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
14100 block GRACEHAM RD
UNITS: PE102
7:10 pm PE102 on the scene, single-story, single-family. Nothing evident.
7:12 pm PE102 reports alarm company received proper passcode. PE102 in service.

PUBLIC SAFETY 7:16 pm
Outside Investigation Of Smoke
15200 block SABILLASVILLE RD
UNITS: BR106
7:23 pm BR106 in the area, investigating.
7:28 pm BR106 reports property owner conducting appropriate burning. BR106 in service.

PUBLIC SAFETY 8:00 pm
Wires Down Or Arcing
WOLFSVILLE RD / WILDCAT RD (WOLFSVILLE)
UNITS: BR216, SU21, C21
8:02 pm C21 on scene, tree down across the roadway.
8:04 pm C21 reports roadway should be reopened shortly.

FIRE & RESCUE 8:08 pm
Outside Fire
BLACK ROCK RD / LOY WOLFE RD (WOLFSVILLE)
UNITS: BR216, BR85

ALARMS 8:30 pm
Commercial Fire Alarm
4700 block YARD WASTE CT — COUNTY LANDFILL TRANSFER STATION
UNITS: E331, TT4
8:43 pm E331 on the scene, single story commercial building. Investigating water flow from side of the building.
9:04 pm E331 reports water flow alarm was active. Building maintenance is on location. Units in service.

PUBLIC SAFETY 8:44 pm
Gas Odor Outside
US-15NB / ANGLEBERGER RD (LEWISTOWN)
UNITS: E291, PE102, E221

TRAFFIC & ROADS 8:59 pm
Vehicle Accident - BLS
RT77 / RT550 (THURMONT)
UNITS: A308, R10
9:03 pm A308 on the scene, 2 vehicles involved. Checking on occupants.
9:06 pm A308 evaluating one patient.
9:23 pm A308 obtained a patient refusals Fire/Rescue clearing the scene.

PUBLIC SAFETY 9:19 pm
Service Call
10300 block REINDEER TRL (LAKE LINGANORE)
UNITS: E153

ALARMS 10:03 pm
Residential Fire Alarm (Single Family Resd/ Mobile Home)
200 block W. FIFTH ST (FREDERICK)
UNITS: PE23
10:05 pm PE23 on the scene, 2-story single-family. Nothing evident. Investigating.

PUBLIC SAFETY 11:52 pm
Gas Leak Outside
7200 block MCKINNEY CIR — MCCORMICK PAINTS
UNITS: PE311
11:59 pm PE311 in the area, investigating.

FREDERICK, MARYLAND
7-Day Weather

National Weather Service

THU Nov 26	FRI Nov 27	SAT Nov 28	SUN Nov 29	MON Nov 30	TUE Dec 1	WED Dec 2
49° / 46°	54° / 41°	56° / 35°	58° / 46°	56° / 31°	52° / 32°	55° / 36°
Rain/Wind	Chance Light Rain	Mostly Sunny	Mostly Sunny	Light Rain Likely then Partly Sunny	Sunny	Mostly Sunny
OBSERVED	ISSUE DAY	0% precip	81% precip	72% precip	5% precip	5% precip

ADVERTISEMENT

FREDERICK SCANNER

Listen. Watch. Know.

Live scanner audio, verified incidents, traffic, weather and community alerts for Frederick County.

www.FrederickScanner.com